Coral reef fish fisheries: spawning aggregations and threatened species

Yvonne Sadovy de Mitcheson University of Hong Kong, IUCN GWSG, Society for the Conservation of Reef Fish Aggregations









- Reef fish fisheries overview
- Threats to reef fishes
 - Biology
 - Spawning aggregations
- Next steps?



- Reef fish fisheries overview
- Threats to reef fishes
 - Biology
 - The case of spawning aggregations
- Next steps?



- Reef fish fisheries overview
- Threats to reef fishes
 - Biology
 - The case of spawning aggregations
- Next steps?



- >10% of global fishery landings
- Support and nourish millions
- Pressures to exploit growing



- >10% of global fishery landings
- Support and nourish millions
- Pressures to exploit growing



- >10% of global fishery landings
- Support and nourish millions
- Pressures to exploit growing



- Little effective management or monitoring
- •Relatively little focus on sustainable fisheries
- Many reef fishes have life histories vulnerable to fishing



- Little effective management or monitoring
- •Relatively little focus on sustainable fisheries
- Many reef fishes have life histories vulnerable to fishing



- Little effective management or monitoring
- •Relatively little focus on sustainable fisheries
- Many reef fishes have life histories vulnerable to fishing


Threats to reef fishes

- ☐ Long-lived, late maturing, often associated with large body size, high value
- ☐ Specializations that increase susceptibility to capture (e.g. predictable spawning aggregations)


Threatened according to IUCN Red List criteria/categories



Groupers – 162 species globally (Family Serranidae)




Groupers and IUCN Red List status






Groupers and IUCN Red List status








Groupers and IUCN Red List status














Threats to reef fishes


- ☐ Long-lived, late maturing, often associated with large body size, high value
- ☐ Specializations that increase susceptibility to capture (e.g. predictable spawning aggregations and migrations)





What are spawning aggregations?

Some aggregating species















Monthly mean gonadosomatic index of Nassau grouper, showing largest ovary size in January, at peak spawning when the spawning aggregation forms




Nassau grouper





















Current status for spawning aggregations of known status (n=280)






www.scrfa.org

Types of management in place to protect spawning aggregations (n=359)





Geomorphological types recorded at spawning aggregations sites (n=248)





Outer reef/shelf/drop-off



Next steps?

- Indicators: threatened species; spawning aggregations
- MPAs to include habitats where aggregations are common (e.g. outer reefs), and those of threatened species
- Awareness (e.g. the 'bigger picture' such as non-extractive benefits/value of aggregations)

Ways forward I


- Indicators: threatened species; spawning aggregations
- MPAs to include habitats where aggregations are common (e.g. outer reefs), and those of threatened species
- Awareness (e.g. the 'bigger picture' such as non-extractive benefits/value of aggregations)

Ways forward I

- Indicators: threatened species; spawning aggregations.
- MPAs to include habitats where aggregations are common (e.g. outer reefs), and those of threatened species.
- Awareness (e.g. the 'bigger picture' such as non-extractive benefits/value of aggregations).

Ways forward I

- Indicators: threatened species; spawning aggregations.
- MPAs to include habitats where aggregations are common (e.g. outer reefs), and those of threatened species.
- Awareness (e.g. the 'bigger picture' such as non-extractive benefits/value of aggregations).



Non-extractive benefits

Ripe adults are the <u>capital</u> and spawning aggregations produce <u>interest</u> (eggs)



Non-extractive benefits

Ripe adults are the <u>capital</u> and spawning aggregations produce <u>interest</u> (eggs \$\$\$)

Ways forward II

- Implementation of existing legislation and FAO Code of Conduct, Resolutions, etc. as assessed by tangible outcomes (such as convictions).
- Sustainable trade (e.g. CITES App II, seafood guides, certification).
- ICRI and fisheries what role?

Ways forward II

- Implementation of existing legislation and FAO Code of Conduct, Resolutions, etc. as assessed by tangible outcomes (such as convictions).
- Sustainable trade (e.g. CITES App II, seafood guides, certification).
- ICRI and fisheries what role?



CITES Appendix II for sustainable international trade

FAO Fisheries Circular No. 1023

FIMF/C1023 (En)

ISSN 0429-9329

STOCK ASSESSMENT APPROACH FOR THE NAPOLEON FISH, CHEILINUS UNDULATUS, IN INDONESIA

A tool for quota-setting for data-poor fisheries under CITES Appendix II Non-Detriment Finding requirements




www.humpheadwrasse.info



Patrick L. Colin

Ways forward II

- Implementation of existing legislation and FAO Code of Conduct, Resolutions, etc. as assessed by tangible outcomes (such as convictions).
- Sustainable trade (e.g. CITES App II, seafood guides, certification).
- ICRI and fisheries what role?



Adrift

Tales of Ocean Fragility

